



MECHANICAL EARTH DRILL

Little Beaver Mechanical Earth Drills are safe and simple to operate.

With drilling speeds up to 360 rpm, they provide faster drilling, efficient digging and cleaner holes than competitive models. The drills feature a steel torque tube that protects users from dangerous kickback and makes them safer for one-man operation.

Ideal applications:

- Fencing
- Deck Building
- Landscaping
- Horizontal Boring

FEATURES & BENEFITS



ENHANCED SAFETY

- Steel torque tube
- Centrifugal clutch



EXTENDED LIFESPAN

- Transmission cooling fins
- Powder coating



INCREASED VERSATILITY

- Simple snap-on auger
- Auger diameters ranging from 1.5 to 16 inches



EASY MANEUVERABILITY

- Semi-pneumatic or flat-free tires
- Roll cage or rickshaw carrier



BETTER ERGONOMICS

- Comfortable padded handles
- Easy access to the throttle and on/off switch



OPTIONAL ATTACHMENTS

- Expanded capabilities with horizontal boring kits
- Sidewalk and driveway boring kits available

SPECIFICATIONS

	MDL-5B	MDL-5H	MDL-8B	MDL-8H
Engine Brand/Model	Vanguard 12V332 OHV	Honda GX160 OHV	Vanguard 19L132 OHV	Honda GX240 OHV
Engine Horsepower	6.5 hp (4.8 KW) gross	4.8 hp (3.6 KW) net	10 hp (7.5 KW) gross	7.9 hp (5.9 KW) net
Engine Torque	<i>Not Available</i>	7.6 lb-ft (10.3 Nm) net	<i>Not Available</i>	13.4 lb-ft (18.3 Nm) net
Oil Alert System	Standard			
Torque Tube	Standard			
Centrifugal Clutch	Standard			
7-Foot Flexible Drive Shaft	Standard			
Snap-On Flexible Drive Shaft	Standard			
Gear Reduction Ratio	10:1 or Optional 20:1 or 13:1			
Rotation	360 RPM or Optional 180 or 275			
Wheel Size	8-inch Optional 10-inch flat-free	8-inch Optional 10-inch flat-free	10-inch	10-inch
Wheel Type	Semi-pneumatic	Semi-pneumatic	Flat-Free	Flat-Free
Dry Shipping Weight (Lbs) Additional 10lbs for Torque Tube Weight	135 + 10	130 + 10	175 + 10	173 + 10



